

# Camera Enclosures

## Overview



# EH3500 Series Features:

- Most copied camera enclosure design
- Hinged door access
- Rear Link-Lock Latch
- Cable Entry Glands and Mounting Holes on Bottom of Enclosure
- Indoor/Outdoor use
- Models Available with Factory-Installed Low Power Heater, Blower and Defroster, or with Heater and Defroster
- Compatible with traditional fixed cameras



EH3512 ENCLOSURE WITH SUN SHROUD  
AND EM3512 MOUNT



# EH2500 Series Features:

- “Tube” enclosure design
- Indoor/Outdoor use
- Sled door access
- Aluminum Construction
- Meets NEMA Type 4 and IP66 Standards
- Optional Accessories Include Sun Shroud and Dual-Element
- Heater/Defroster
- Compatible with most traditional fixed cameras



## **EH8100 Series Features:**

- Pressurized camera enclosure
- Designed for harsh environment deployment
- Meets NEMA Type 6 and IP67 Standards
- Thermostat Controlled Heater(s) Standard Feature
- Easy Access for Service and Installation
- Compatible with traditional fixed cameras



## EHX Series Features:

- Explosion proof enclosure design
- Aluminum Construction
- Adjustable Mounting Cradle
- Available in 4-inch (10.16 cm), 6-inch (15.24 cm) and 8-inch (20.32 cm) Diameters
- For use in a Variety of Harsh and/or Hazardous Environments, including Marine Environments
- Meets NEMA Type 4X and IP66 Standards
- Sled door access
- Compatible with traditional fixed cameras

